

Message

---

**From:** Burdett, Cheryl [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=E8F84378969242DBA5EB260C1CC89FB8-CBURDETT]  
**Sent:** 2/5/2018 8:36:01 PM  
**To:** Ex. 6 Personal Privacy (PP)  
**Subject:** FW: WORK ORDER 1710017 - CSD - TP and TKN  
**Attachments:** 1710017 TKN DA Total Phosphorus DA FINAL Dec 12 17 1355.PDF; 1710017 TKN DA Total Phosphorus DA FINAL EXCEL 11 Dec 17 1526.xls; 1710017 WKO Dec 11 17 1514.PDF

Hi 

This is the results for all the tests that were taken at private wells. It does not provide names or addresses. You, however are number S02.

Sincerely,

Cheryl Burdett  
R5 EPA/WECA  
CAFO Program Manager  
Work: 312-886-1463

---

**From:** Griffin, Sylvia  
**Sent:** Tuesday, December 12, 2017 2:28 PM  
**To:** Burdett, Cheryl <burdett.cheryl@epa.gov>  
**Cc:** Fuentes, Nidia <Fuentes.Nidia@epa.gov>  
**Subject:** FW: WORK ORDER 1710017 - CSD - TP and TKN

Cheryl,

The analyst sent me another email. This one should work, but be sure to let me know if you still have a problem.

*Sylvia Griffin*  
Data Coordinator  
USEPA Chicago Regional Lab  
536 S. Clark St. 10th Floor  
Chicago, IL 60605  
phone: 312.353.9073  
fax: 312.582.5171  
email: [griffin.sylvia@epa.gov](mailto:griffin.sylvia@epa.gov)

*Trouble comes to pass, not to stay. You can trust life to give  
you the courage that is required to do anything or face anything.  
Challenge comes to make you, not break you. Iyanla Vanzant*



Think Green - Not every email needs to be printed

---

**From:** Fuentes, Nidia  
**Sent:** Tuesday, December 12, 2017 1:58 PM  
**To:** Griffin, Sylvia <[griffin.sylvia@epa.gov](mailto:griffin.sylvia@epa.gov)>  
**Subject:** WORK ORDER 1710017 - CSD - TP and TKN

